


| | | | | | | | |
|--|--|--------------------|------|---------|-----------------------------------|------------------------------|------------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | | | ATTY. DOCKET NO. 45-35 | SERIAL NO. 09/833,078 | |
| (Use several sheets if necessary) | | | | | APPLICANT Thompson et al. | | |
| | | | | | FILING DATE April 12, 2001 | GROUP 2811 | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| EXAMINER'S INITIALS | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPLICABLE |
| | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | | DOCUMENT | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION |
| | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.) | | | | | | | |
| G.J. Letal, D.A. Thompson, B.J. Robinson, J.G. Simmons, (2001), "Demonstration of a DFB laser with an integrated electro-absorption modulator produced using a novel quantum-well intermixing technique", Materials Science and Engineering, B80, pp. 232-235. <i>WSL</i> | | | | | | | |
| A.S.W. Lee, D.A. Thompson, B.J. Robinson, (2000), "Enhanced bandgap blue-shift in InGaAsP multiple-quantum-well laser structures by low-temperature-grown InP", Semicond. Sci. Technol., 15, L41-43. <i>WSL</i> | | | | | | | |
| A.S.W. Lee, M. Mackenzie, D.A. Thompson, J. Bursik, B.J. Robinson, and G.C. Weatherly, (2001), "Enhanced band-gap blueshift due to group V intermixing in InGaAsP multiple quantum well laser structures induced by low temperature grown InP", Applied Physics Letters, Vol.78, No. 21, pp. 3199 - 3201. <i>WSL</i> | | | | | | | |
| T. Yin, G.J. Letal, B.J. Robinson, D.A. Thompson, (2001), "The Effects of InP Grown by He-Plasma Assisted Epitaxy on Quantum Well Intermixing", Journal of Quantum Electronics, Vol. 37, pp. 426-429. <i>WSL</i> | | | | | | | |
| D.A. Thompson, J.F. Hazell, A.S.W. Lee, T. Yin, G.J. Letal, B.J. Robinson, N. Bertsch and J.G. Simmons, (2000), "New methods of defect-enhanced quantum well intermixing and demonstrated integrated distributed feedback laser-modulator", Proc. Spie, 4078, pp. 148-162. <i>WSL</i> | | | | | | | |
| J.E. Haysom, P.J. Poole, R.L. Williams, S. Raymond, G.C. Ayers, (2000), "Diffusion of defects in InP studied using quantum well intermixing", Solid State Communications SSC5429, pp. 1-4. <i>WSL</i> | | | | | | | |
| J.E. Haysom, P.J. Poole, G.C. Ayers, S.J. Rolfe, S. Raymond, I.V. Mitchell, S. Charbonneau, (2000), "Quantum Well Intermixing Caused By Non-Stoichiometric INP", IPRM 2000 - InP and Related Materials Conference, May 14-18, pp. 56-59. <i>WSL</i> | | | | | | | |
| H. Pinkney, D.A. Thompson, B.J. Robinson, L.Qian, S.D. Benjamin, P.W.E. Smith, (2000), "Growth of novel InP-based materials by He-plasma-assisted epitaxy", Journal of Crystal Growth, 209, pp. 237-241. <i>WSL</i> | | | | | | | |
| L.Qian, S.D. Benjamin, P.W.E. Smith, B.J. Robinson, D.A. Thompson, (1997), "Picosecond carrier lifetime and large optical nonlinearities in InGaAsP grown by He-plasma-assisted molecular beam epitaxy" Optics Letters, Vol. 22, No. 2, pp. 108-110. <i>WSL</i> | | | | | | | |
| J.U. Kang, M.Y. Frankel, R.D. Esman, D.A. Thompson, B.J. Robinson, (1998), "InGaAsP grown by He-plasma-assisted molecular beam epitaxy for 1.55 μ m high speed photodetectors", Applied Physics Letters, Vol. 72, No. 11, pp. 1278-1280. <i>WSL</i> | | | | | | | |
| EXAMINER: <i>[Signature]</i> | | | | | DATE CONSIDERED <i>6/24/02</i> | | |
| *EXAMINER: Initial if citation not considered, whether or not citation is in conformance with MPEP 609; draw Line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |

| | | | | | | |
|---|--------------------|------|---------|-------|--|------------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | | | ATTY. DOCKET NO. 45-35 | SERIAL NO. 09/833,078 |
| (Use several sheets if necessary) | | | | | APPLICANT Thompson et al. | |
| | | | | | FILING DATE April 12, 2001 | GROUP 2811 |
| U.S. PATENT DOCUMENTS | | | | | | |
| EXAMINER'S INITIALS | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPLICABLE |
| | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | |
| | DOCUMENT | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION |
| | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.) | | | | | | |
| L. Qian, S.D. Benjamin, P.W.E. Smith, B.J. Robinson, and D.A. Thompson, (1997), "Subpicosecond carrier lifetime in beryllium-doped InGaAsP grown by He-plasma-assisted molecular beam epitaxy", Applied Physics Letters 71(11), pp. 1513-1515. WSL | | | | | | |
| J.U. Kang, M.Y. Frankel, R.D. Esman, D.A. Thompson, B.J. Robinson, (1998), "Dependence of carrier lifetime and resistivity on annealing in InP grown by He-plasma-assisted molecular beam epitaxy", Journal of Applied Physics, Vol. 83, No. 6, pp. 3423-3425. WSL | | | | | | |
| L. Qian, P.W.E. Smith, M.A. Matin, H. Pinkney, B.J. Robinson, and D.A. Thompson, (2000), "Ultrafast carrier dynamics in InGaAsP grown by He-plasma-assisted epitaxy", Optics Communications, Vol. 185, pp. 487-492. WSL | | | | | | |
| L. Qian, P.W.E. Smith, B.J. Robinson, D.A. Thompson, (2001), "An ultrafast all-optical asymmetric Fabry-Perot switch based on bulk Be-doped InGaAsP grown by He-plasma-assisted epitaxy", Opt. Quantum Electron. Special Issue on Components for Ultrafast Communications. WSL | | | | | | |
| H. Pinkney, D.A. Thompson, B.J. Robinson, P. Mascher, P.J. Simpson, U. Myler, J.U. Kang and M.Y. Frankel, (1998), "Characterization of annealed high-resistivity InP grown by He-plasma-assisted epitaxy", J. Vac. Sci. Technology A 16(2), pp. 772-775. WSL | | | | | | |
| H. Pinkney, D.A. Thompson, B.J. Robinson, P.J. Simpson, U. Myler, R.W. Streater, (1999), "Characterization of He-Plasma-Assisted GSMBE InGaAsP", IEEE Publication 99CH36362, pp. 143-146. WSL | | | | | | |
| L. Qian, S.D. Benjamin, P.W.E. Smith, B.J. Robinson, D.A. Thompson, (1999), "Dual-wavelength pump probe measurements on helium-plasma-grown InGaAsP reveal complex carrier dynamics", Conf. On Lasers & Electrophysics, CLEO '99. WSL | | | | | | |
| D.B. Mitchell, B.J. Robinson, D.A. Thompson, L. Qian, S.D. Benjamin, P.W.E. Smith, (1996), "He-plasma assisted epitaxy for highly resistive, optically fast InP-based materials", Appl. Phys. Lett. 69 (4), pp. 509-511. WSL | | | | | | |
| J.S. Tsang, C.P. Lee, S.H. Lee, K.L. Tsai, C.M. Tsai and J.C. Fan; "Compositional Disordering of InGaAs/GaAs heterostructures by low-temperature-grown GaAs Layers", J. Appl. Phys., 79(2), pp. 664-670. WSL | | | | | | |
| EXAMINER:  | | | | | DATE CONSIDERED 6/24/02 | |
| *EXAMINER: Initial if citation not considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | |

ATTY. DOCKET NO.
115354.00116SERIAL NO.
09/833,078 (Conf. No. 1456)**LIST OF REFERENCES
CITED BY APPLICANT**

APPLICANT David A. Thompson et al

FILING DATE
April 12, 2001GROUP
2811**U.S. PATENT DOCUMENTS**

| EXAMINER INITIAL | | DOC. NUMBER | DATE | NAME | CLASS | SUB CLASS | FILING DATE IF APPROPRIATE |
|---------------------|----|-------------|---------------|----------------------|-------|--------------|-------------------------------|
| WSL | AA | 6,027,989 | Feb. 22, 2000 | Poole et al. | | | |
| | AB | 5,915,165 | Jun. 22, 1999 | Sun et al. | | | |
| | AC | 5,882,951 | Mar. 16, 1999 | Bhat | | | |
| | AD | 5,843,802 | Dec. 1, 1998 | Beernink et al. | | | |
| | AE | 5,771,256 | Jun. 23, 1998 | Bhat | | | |
| | AF | 5,766,981 | Jun. 16, 1998 | Thornton et al. | | | |
| | AG | 5,708,674 | Jan. 13, 1998 | Beernink et al. | | | |
| | AH | 5,707,890 | Jan. 13, 1998 | Emery et al. | | | |
| | AI | 5,608,753 | Mar. 4, 1997 | Paoli et al. | | | |
| | AJ | 5,574,745 | Nov. 12, 1996 | Paoli et al. | | | |
| | AK | 5,539,763 | Jul. 23, 1996 | Takemi et al. | | | |
| | AL | 5,455,429 | Oct. 3, 1995 | Paoli et al. | | | |
| | AM | 5,425,043 | Jun. 13, 1995 | Holonyak, Jr. et al. | | | |
| | AN | 5,395,793 | Mar. 7, 1995 | Charbonneau et al. | | | |
| | AO | 5,353,295 | Oct. 4, 1994 | Holonyak, Jr. et al. | | | |
| | AP | 5,298,454 | Mar. 29, 1994 | D'Asaro et al. | | | |
| | AQ | 4,871,690 | Oct. 3, 1989 | Holonyak, Jr. et al. | | | |
| | AR | 4,805,179 | Feb. 14, 1989 | Harder et al. | | | |
| | AS | | | | | | |

FOREIGN PATENT DOCUMENTS

| | DOC. NUMBER | DATE | COUNTRY | TRANSLATION | |
|--|-------------|------|---------|--------------------------|--------------------------|
| | | | | YES | NO |
| | AT | | | <input type="checkbox"/> | <input type="checkbox"/> |
| | AU | | | <input type="checkbox"/> | <input type="checkbox"/> |
| | AV | | | <input type="checkbox"/> | <input type="checkbox"/> |

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|-----|----|---|
| WSL | AW | Journal of Crystal Growth (2000), "Growth of novel InP-based materials by He-plasma-assisted epitaxy," Authors: Pinkney et al.; Pages 237-241 |
| | AX | J. Vac. Sci. Technol. A 16(2), Mar/Apr 1998, "Characterization of annealed high-resistivity InP grown by He-plasma-assisted epitaxy," Authors: Pinkney et al.; Pages 772-775 |
| | AY | J. Vac. Sci. Technol. A 16(2), Mar/Apr 1998, "Quantum well intermixing in material systems for 1.5 μ m (invited)," Authors: Marsh et al.; Pages 810-816 |
| | AZ | IEEE Photonics Technology Letters, Vol. 8, No. 9, September 1996, "10 Gb/s Wavelength Conversion with Integrated Multiquantum-Well-Based 3-Port Mach-Zehnder Interferometer," Authors: Idler et al.; Pages 1163-1165 |
| | BB | J. Appl. Phys. 79(2), 15 January 1996, "Compositional disordering of InGaAs/GaAs heterostructures by low-temperature-grown GaAs layers," Authors: Tsang et al.; Pages 664-670 |
| | BC | IEEE Photonics Technology Letters, Vol. 7, No. 9, September 1995, "Monolithic Integration of InGaAsP-InP Stratified-Layer Distributed Feedback Laser and External Modulator by Selective Quantum-Well Interdiffusion," Authors: Ramdane et al.; Pages 1016-1018 |
| | BD | "Quantum Well Intermixing Caused By Non-Stoichiometric INP," Authors: Haysom et al.; Pages 56-59 |

Examiner

Date Considered

6/24/02

*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.